



SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifier	LABFAST 85 PRO CLEAR, PART A
Other means of identification	LFX2...000A
Recommended use and restrictions on use	Floor coating
Initial supplier identifier	LABSURFACE 2250, LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1 Tél. (450) 966-9000
Emergency telephone number/restriction on use	Canada – Handling (450) 966-9000 8h-17h Canada – Transport CANUTEC Number 24 hours 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Skin irritation (Category 2)
Sensitization – Skin (Category 1)
Eye irritation (Category 2A)
Hazardous to the aquatic environment – Chronic (Category 3)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Warning

H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear gloves/protective clothing/eye protection/face protection.
P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.
P273 Avoid release to the environment.
P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known None

Section 3. Composition/information on ingredients

Chemical name (common name/synonyms)	CAS number or other	Concentration (%)
Aspartic Acid, N, N'-(methylenedi-4,1-cyclohexanediyl)bis-, 1, 1', 4, 4'-tetraethyl ester	136210-30-5	45-70
Aspartic Acid, N,N'-[methylenebis(2-methyl-4,1-cyclohexanediyl)]bis-, 1,1',4,4'-tetraethyl ester	136210-32-7	10-30
Aspartic Ester	152637-10-0	5-10
Other products	---	5-10

* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).



Section 4. First-aid measures	
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.
Skin contact	IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Most important symptoms and effects (acute or delayed)	Causes skin irritation. Causes serious eye irritation.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.
Section 5. Fire-fighting measures	
Specific hazards of the hazardous product (hazardous combustion products)	
Carbon oxides and other irritant/toxic gases and fumes.	
Suitable and unsuitable extinguishing media	
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.	
Special protective equipment and precautions for fire-fighters	
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.	
Section 6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).	
Methods and materials for containment and cleaning up	
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.	
Section 7. Handling and storage	
Precautions for safe handling	
Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.	
Conditions for safe storage, including any incompatibilities	
Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.	
Section 8. Exposure controls/Personal protection	
Control parameters (biological limit values or exposure limit values and source of those values)	
Exposure limits: DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust);	
Appropriate engineering controls	
Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.	
Individual protection measures/personal protective equipment	
Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.	



Section 9. Physical and chemical properties						
Physical state		Liquid	pH	Not available		
Colour	Clear		Kinematic viscosity		Not available	
Odour	Characteristic		Solubility		Not available	
Melting/freezing point		Not available	Partition coefficient - n-octanol/water (log)			Not available
Initial boiling point/ initial/range		Not available	Vapour pressure		Not available	
Flammability		Not available	Density/relative density		Not available	
Upper and lower flammability/explosive limits		Not available	Relative vapour density		Not available	
Flash point		Not available	Particle characteristics		Not available	
Auto-ignition temperature		Not available	VOC		Not available	
Decomposition temperature		Not available	Other		None known	
Section 10. Stability and reactivity						
Reactivity						
Does not react under the recommended storage and handling conditions prescribed.						
Chemical stability						
Stable under the recommended storage and handling conditions prescribed.						
Possibility of hazardous reactions						
None known						
Conditions to avoid (static discharge, shock or vibration)						
None known						
Incompatible materials						
Oxidizing materials; etc.						
Hazardous decomposition products						
None known						
Section 11. Toxicological information						
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)						
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.						
Symptoms related to the physical, chemical and toxicological characteristics						
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing.						
Delayed and immediate effects (chronic effects from short-term and long-term exposure)						
Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.						
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)						
None						
ATE not available in this document.						
Section 12. Ecological information						
Ecotoxicity (aquatic and terrestrial information)			No data available for the product.			
Persistence and degradability			No data available			
Bioaccumulative potential			No data available			
Mobility in soil			No data available			
Other adverse effects			Harmful to aquatic life with long lasting effects.			
Section 13. Disposal considerations						
Information on safe handling for disposal/methods of disposal/contaminated packaging						
Dispose of contents/container into safe container in accordance with local, regional or national regulations.						
Section 14. Transport information						
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations						
Not regulated						
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)						
Not regulated						
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)						
Not regulated						
Special precautions (transport/conveyance)			None			
Environmental hazards (IMDG or other)			None			



Section 15. Regulatory information	
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	
United States OSHA information: This product is regulated according to OSHA (29 CFR). United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3. National Fire Protection Association (NFPA): HEALTH: 1 FLAMMABILITY: 1 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3. HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe Proposition 65: No ingredient known to the State of California to cause cancer or other reproductive harm.	
Section 16. Other information	
Date of the latest revision of the safety data sheet	May 08, 2024 version 1 (NSS ENTREPRISE INC.)
Corrections	---
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System
DISCLAIMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may be modified to improve the properties of the coatings. The information and data appearing in this reference document may not be up to date, despite the reference date.	



SAFETY DATA SHEET (SDS)

Section 1. Identification

Product identifier	LABFAST 85 PRO, PART B
Other means of identification	LFX2...B1
Recommended use and restrictions on use	Floor coating
Initial supplier identifier	LABSURFACE 2250, LOUIS-BLÉRIOT, MASCOUCHE (QC) CANADA J7K 3C1 Tél. (450) 966-9000
Emergency telephone number/restriction on use	Canada – Handling (450) 966-9000 8h-17h Canada – Transport CANUTEC Number 24 hours 613-996-6666

Section 2. Hazard identification

Classification of hazardous product (name of the category or subcategory of the hazard class)

Flammable liquid (Category 3)
Aspiration hazard (Category 1)
Skin irritation (Category 2)
Sensitization – Skin (Category 1)
Eye irritation (Category 2A)
Acute toxicity inhalation (Category 4)
Specific target organ toxicity – single exposure (Category 3)
Reproductive toxicity (Category 2)

Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)



Danger

H226 Flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H361 Suspected of damaging fertility or the unborn child.

P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 Ground and bound container and receiving equipment. P241 Use explosion-proof equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear gloves/protective clothing/eye protection/face protection.

P301 + P310 IF SWALLOWED: Immediately call a doctor. P331 DO NOT INDUCE VOMITING.

P302 + P352 IF ON SKIN: Wash with plenty of water. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash it before reuse.

P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical attention.

P370 + P378 In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.

P403 + P233 + P235 Store in a well-ventilated place. Keep container tightly closed. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.

Other hazards known | None

Section 3. Composition/information on ingredients

Chemical name (common name/synonyms)	CAS number or other	Concentration (%)
HDI oligomers, isocyanate	28182-81-2	45-70
Xylenes/Ethyl benzene	1330-20-7/100-41-4	10-30
Other products	---	5-10

* Statement - This safety data sheet provides concentration range(s) instead of the actual concentration(s) by weight (except for gases/propellants by volume) considered trade secret(s).



Section 4. First-aid measures	
Inhalation	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
Ingestion	IF SWALLOWED: Immediately call a doctor. DO NOT INDUCE VOMITING. NEVER give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Rinse mouth thoroughly with water. Have victim drink two glasses of water. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration.
Skin contact	IF ON SKIN: Wash with plenty of water (15-20 minutes). IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.
Eye contact	IF IN EYES, Rinse cautiously with water for several minutes (15-20 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Most important symptoms and effects (acute or delayed)	Causes skin irritation. Causes serious eye irritation.
Indication of immediate medical attention/special treatment	In all cases, call a doctor. Do not forget this document.
Section 5. Fire-fighting measures	
Specific hazards of the hazardous product (hazardous combustion products)	
Carbon oxides and other irritant/toxic gases and fumes.	
Suitable and unsuitable extinguishing media	
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish.	
Special protective equipment and precautions for fire-fighters	
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans. Move containers from fire area if it can be done without risk. Water spray may be useful in cooling equipment and cans exposed to heat and flame.	
Section 6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures	
Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8).	
Methods and materials for containment and cleaning up	
Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.	
Section 7. Handling and storage	
Precautions for safe handling	
Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.	
Conditions for safe storage, including any incompatibilities	
Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.	
Section 8. Exposure controls/Personal protection	
Control parameters (biological limit values or exposure limit values and source of those values)	
Exposure limits: CAS 1330-20-7 ACGIH – TLV-TWA 100 ppm (STEL 150 ppm) & PEL-TWA 100 ppm; CAS 100-41-4 ACGIH – TLV-TWA 20 ppm & PEL-TWA 100 ppm; DUST ACGIH – TLV-TWA 1 mg/m ³ & PEL-TWA 5 mg/m ³ (respirable fraction) & 15 mg/m ³ (total dust);	
Appropriate engineering controls	
Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.	
Individual protection measures/personal protective equipment	
Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.	



Section 9. Physical and chemical properties					
Physical state		Liquid	pH	Not available	
Colour	Clear		Kinematic viscosity	Not available	
Odour	Characteristic		Solubility	Insoluble	
Melting/freezing point		Not available	Partition coefficient - n-octanol/water (log)		Not available
Initial boiling point/ initial/range		Not available	Vapour pressure		Not available
Flammability	Flammable liquid and vapor.		Density/relative density		Not available
Upper and lower flammability/explosive limits		Not available	Relative vapour density		Heavier than air
Flash point	27°C closed cup		Particle characteristics		Not available
Auto-ignition temperature		Not available	VOC	Not available	
Decomposition temperature		Not available	Other	None known	
Section 10. Stability and reactivity					
Reactivity					
Does not react under the recommended storage and handling conditions prescribed.					
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.					
Conditions to avoid (static discharge, shock or vibration)					
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					
Section 11. Toxicological information					
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)					
May be fatal if swallowed and enters airways. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful if inhaled. May cause drowsiness or dizziness. Suspected of damaging fertility or the unborn child.					
Symptoms related to the physical, chemical and toxicological characteristics					
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing. Respiratory tract irritation, coughing, shortness of breath, dizziness, drowsiness, nausea and headaches.					
Delayed and immediate effects (chronic effects from short-term and long-term exposure)					
Skin Sensitization – Possible; Respiratory Sensitization – No data available; Germ Cell Mutagenicity – No data available; Carcinogenicity – No ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – Possible; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)					
CAS 1330-20-7 LD50 Oral - Rat - 3523 mg/kg; Dermal, rabbit LD50 12100 mg/kg; LC50 Inhalation - Rat - 4 h – 5000 ppm; CAS 100-41-4 LC50 Oral - Rat - 3500 mg/kg; LC50 Inhalation - Rat - 4 h – 4000 ppm;					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information)		No data available for the product.			
Persistence and degradability		No data available			
Bioaccumulative potential		No data available			
Mobility in soil		No data available			
Other adverse effects		Harmful to aquatic life with long lasting effects.			
Section 13. Disposal considerations					
Information on safe handling for disposal/methods of disposal/contaminated packaging					
Dispose of contents/container into safe container in accordance with local, regional or national regulations.					
Section 14. Transport information					
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations					
UN1263; PAINT; Class 3; PG III					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)					
UN1263; PAINT; Class 3; PG III					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)					
UN1263; PAINT; Class 3; PG III					
Special precautions (transport/conveyance)		May also be shipped as a LIMITED QUANTITY in accordance with TDG.			
Environmental hazards (IMDG or other)		None			



Section 15. Regulatory information	
Safety/health Canadian regulations specifics	Refer to Section 2 for the appropriate classification. This product has been classified in accordance with the hazard criteria of the Hazardous Products Regulations (HPR).
Environmental Canadian regulations specifics	Refer to Section 3 for ingredient(s) of the DSL
Safety/health/environmental outside regulations specifics	
United States OSHA information: This product is regulated according to OSHA (29 CFR). United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14. United States TCSA information: Refer to the ingredients listed in Section 3. National Fire Protection Association (NFPA): HEALTH: 1 FLAMMABILITY: 2 INSTABILITY: 0 SPECIAL HAZARDS: Refer to Section 2 & 3. HAZARD SCALE: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe Proposition 65: WARNING This product contains Ethyl benzene (CAS 100-41-4) known to the State of California to cause cancer or other reproductive harm.	
Section 16. Other information	
Date of the latest revision of the safety data sheet	May 08, 2024 version 1 (NSS ENTREPRISE INC.)
Corrections	---
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.
Abbreviations	
ACGIH	American Conference of Governmental Industrial Hygienists
ATE	Acute toxicity estimate
CAS	Chemical Abstract Service
DSL	Domestic Substance List
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods Code
LC	Lethal concentration
LD	Lethal Dosage
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program (U.S.A.)
OSHA	Occupational Safety and Health Administration (U.S.A.)
PEL	Permissible Exposure Limit
STEL	Short-term Exposure Limit
TDG	Transport of dangerous goods in Canada
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
WHMIS	Workplace Hazardous Materials Information System
DISCLAIMER: Labsurface expressly disclaims all express or implied warranties of merchantability and fitness for a particular purpose, with respect to the product or information provided herein, and shall under no circumstances be liable for incidental or consequential damages. Users are responsible to verify whether the product is suitable for their particular purposes and they assume all risks of their use, handling, and disposal of the product. In order to meet our stringent requirements, we continuously test our coatings and, occasionally, formulations may be modified to improve the properties of the coatings. The information and data appearing in this reference document may not be up to date, despite the reference date.	